

DUCAR

The new standard in outdoor power equipment



About Ducar

For over 15 years, the Ducar product line has grown and now includes a full range of gasoline-powered and battery-powered equipment. Ducar has become a recognized brand, characterized by advanced design, compact structure, reliable performance, easy starting, low fuel consumption and low noise level. Ducar products are efficient, safe, easy to use and have low emissions. Ducar generators meet CSA certification and Ducar engines are all certified EPA (Environment Protection Agency, United States).

Ducar, the best choice for home and work for ecologically minded people!



Warranty



Ducar gasoline products are covered by a one-year limited warranty for consumer use.



Ducar battery-powered equipment is covered by a one-year limited warranty on equipment and six months on batteries for consumer use.



Table of contents

Generators	4
Inverter generators	10
Replacement gasoline engines	12
Water pumps	14
Trash pumps	15
Pressure washers	16
Scarifier / Lawn dethatcher	17
Tiller	17
Walk-behind string trimmer	17
Lawn mowers	18
Motorized wheelbarrow	20
Log splitters	22
Wood chipper	24
Stump grinder	25
Battery-powered equipment	26
Chainsaws	30
Trimmer and brush cutters	32
Blowers	33
Lawn tractors	34



NEVER remain

IN THE DARK.

generators

From 1 500 W to 15 000 W, whether for your cottage or your home, Ducar has the perfect model for your needs. All generators have a single cylinder, 4-stroke OHV, air-cooled engine, except the largest model, the DG15000, which has a 2-cylinder engine. All models have a low oil level alert. Never be caught off guard during a power outage again !

DG1500



DG3500



- ✓ Lightweight
- ✓ Economical
- ✓ Portable

- ✓ Great value
- ✓ 240 V outlet

SPECIFICATIONS	DG1500	DG3500
Horsepower / Displacement	3.5 HP / 98 cc	7 HP / 212 cc
Starting system	Recoil	Recoil
Maximum power	1500 W	3 000 W
Nominal power	1400 W	2 800 W
AC voltage	120 V	120 / 240 V
DC voltage	12 V / 8.3 A	12 V / 8.3 A
Fuel tank capacity	6 L (1.59 gal)	15 L (4 gal)
Noise level	65 dB	69 dB
Transport wheels	—	—
Battery	—	—
Net weight	26 kg (57 lb)	45 kg (99 lb)



generators

DG4950



- ✓ Easy to move
- ✓ Ideal for renovations

DG6500



- ✓ Transport wheels
- ✓ Perfect for the cottage

SPECIFICATIONS	DG4950	DG6500	DG6500R
Horsepower / Displacement	8 HP / 224 cc	15 HP / 420 cc	15 HP / 420 cc
Starting system	Recoil	Electric & recoil	Remote starter, electric & recoil
Maximum power	5 000 W	6 500 W	6 500 W
Nominal power	4 000 W	5 500 W	5 500 W
AC voltage	120 / 240 V	120 / 240 V	120 / 240 V
DC voltage	12 V / 8.3 A	12 V / 8.3 A	12 V / 8.3 A
Fuel tank capacity	15 L / 4 gal	25 L (6.6 gal)	25 L (6.6 gal)
Noise level	72 dB	74 dB	74 dB
Transport wheels	Standard	Standard	Standard
Battery	—	Standard	Standard
Net weight	52 kg (114 lb)	83 kg (183 lb)	83 kg (183 lb)



THE **DG6500R** MODEL HAS THE SAME SPECIFICATIONS AS THE **DG6500** MODEL, BUT WITH A REMOTE STARTER, ASSURING A HASSLE-FREE STARTUP.

DG9250E DG9250EHD



- ✓ Powerful
- ✓ Versatile



- ✓ Robust
- ✓ Auto idle
- ✓ Ideal for construction sites

SPECIFICATIONS	DG9250E	DG9250EHD
Horsepower / Displacement	15 HP / 420 cc	15 HP / 420 cc
Starting system	Electric & recoil	Electric & recoil
Maximum power	9 250 W	9 250 W
Nominal power	7 500 W	7 500 W
AC voltage	120 / 240 V	120 / 240 V
DC voltage	12 V / 8.3 A	12 V / 8.3 A
Fuel tank capacity	25 L (6.6 gal)	25 L (6.6 gal)
Noise level	77 dB	77 dB
Transport wheels	Standard	Standard
Battery	Standard	Standard
Net weight	90 kg (198 lb)	111 kg (245 lb)



**MODELS DG9250E AND DG9250EHD HAVE THE SAME SPECIFICATIONS !
WHAT DIFFERENTIATES THEM IS THE STRONGER STRUCTURE AND THE
AUTOMATIC IDLE OF THE DG9250EHD MODEL.**

DG15000E



- ✓ Very powerful
- ✓ Ideal for home, farm or business

SPECIFICATIONS	DG15000
Horsepower / Displacement	20 HP / 713 cc
Starting system	Electric
Maximum power	15 000 W
Nominal power	12 500 W
AC voltage	120 / 240 V
DC voltage	—
Fuel tank capacity	40 L (10.6 gal)
Noise level	79 dB
Transport wheels	Standard
Battery	Standard
Net weight	159 kg (351 lb)



THE **DG15000E** HAS A 2-CYLINDER ENGINE.

COMPARE DASHBOARDS !

D2000iS



DLG2000iS



D4000i



DLG4000iSE



DG1500



DG3500



DG4950



DG6500



DG6500R



DG9250E



DG9250EHD



DG15000E



inverter generators

D2000iS



Parallel cable kit for **D2000iS**

DLG2000iS

propane and gasoline



The Ducar range of generators would not be complete without Inverter generators. Choose one that best meets your needs among four different models, two of which can operate on dual energy. The 'DLG' models can run on gasoline or propane ! Ducar inverters have an economy mode and low noise level.

- ✓ Quiet, lightweight and economical
- ✓ Stable current
- ✓ Your ally in the outdoors

- ✓ Quiet
- ✓ Lightweight
- ✓ Dual energy (gasoline and propane)



SPECIFICATIONS	D2000iS	DLG2000iS	D4000i	DLG4000iSE
Horsepower / Displacement	3 HP / 80 cc	3 HP / 80 cc	7.5 HP / 224 cc	7.5 HP / 224 cc
Starting system	Recoil	Recoil	Electric & recoil	Electric & recoil
Maximum power	2 000 W	2 000 W	4 000 W	4 000 W
Nominal power	1 600 W	1 600 W	3 500 W	3 500 W
AC voltage	120 V	120 V	120 V	120 V
DC voltage	12 V / 8 A	—	12 V / 8 A	12 V / 8 A
Fuel tank capacity	4.5 L (1.1 gal)	4.5 L (1.1 gal)	12 L (3.2 gal)	12 L (3.2 gal)
Noise level	59 dB	59 dB	59 dB	59 dB
Transport wheels	—	—	Standard	Standard
Battery	—	—	Standard	Standard
Net weight	21 kg (46 lb)	22 kg (49 lb)	49 kg (108 lb)	50 kg (110 lb)

D4000i



- ✓ Quiet
- ✓ Electric starter
- ✓ Integrated trolley with slide out handle and transport wheels

DLG4000iSE

propane and gasoline




- ✓ Quiet
- ✓ Dual energy (gasoline and propane)
- ✓ Integrated trolley with slide out handle and transport wheels



replacement gasoline engines

Need a replacement engine ? Ducar has one for you ! **From 79 cc to 713 cc**, single or two cylinders, recoil and/or electric start, you will find the perfect model for your needs. All Ducar gasoline engines have an oil level sensor. They can be used for several applications and have great value for your money.

A man with a beard is working on a motorcycle engine in a workshop. He is looking down at the engine, which is mounted on a stand. The workshop has large windows and various tools and equipment are visible in the background.

SPECIFICATIONS	DJ154F	DJ168F	DJ170F
Engine type	4-stroke OHV, 1 cylinder	4-stroke OHV, 1 cylinder	4-stroke OHV, 1 cylinder
Horsepower / Displacement	3.5 HP / 79 cc	6.5 HP / 196 cc	7 HP / 208 cc
Starting system	Recoil	Recoil	Recoil
Crankshaft diameter	16 mm	19.05 mm	19.05 mm
Crankshaft type	Key way / Q type	Key way / Q type	Key way / Q type
Bore / Stroke	54 mm / 34.4 mm	68 mm / 54 mm	70 mm / 54 mm
Engine oil capacity	0.4 L / 0.1 gal	0.6 L / 0.2 gal	0.6 L / 0.2 gal
Low oil level alert	Standard	Standard	Standard
Net weight	10 kg (22 lb)	15 kg (33 lb)	15.5 kg (34 lb)

DJ154F



DH270



DJ188F



DJ188F-D



DJ190F-D



DHT720E



DH270	DJ188F AND F-D	DJ190F-D	DHT720E
4-stroke OHV, 1 cylinder	4-stroke OHV, 1 cylinder	4-stroke OHV, 1 cylinder	4-stroke OHV, Twin cylinder
9 HP / 270 cc	13 HP / 389 cc	15 HP / 420 cc	20 HP / 713 cc
Recoil	F: Recoil F-D: Electric & recoil	Electric & recoil	Electric
25.4 mm	25.4 mm	25.4 mm	25.4 mm
Key way / Q type	Key way / Q type	Key way / Q type	Key way / Q type
77 mm / 58 mm	88 mm / 64 mm	90 mm / 66 mm	80 mm / 71 mm
1 L / 0.3 gal	1.1 L / 0.3 gal	1.1 L / 0.3 gal	1.5 L / 0.4 gal
Standard	Standard	Standard	Standard
24 kg (53 lb)	F: 30 kg (66 lb) F-D: 31 kg (68 lb)	30.5 kg (67 lb)	47 kg (104 lb)

water pumps

Watching the rain fall can be relaxing, but it can also be stressful when your grounds are not well-drained and the risk of flooding increases. No one likes to have unwanted water entry into their home, so it is best to be prepared for Mother Nature's inclement weather! Ducar water pumps also come to your rescue for irrigation and water needs for your cottage, sugar shack or farm. They perform well under any use!

DP40



DP50




DP80



SPECIFICATIONS	DP40	DP50	DP80
Pump type	Centrifugal	Centrifugal	Centrifugal
Engine type	4-stroke OHV, 1 cylinder	4-stroke OHV, 1 cylinder	4-stroke OHV, 1 cylinder
Horsepower / Displacement	3.5 HP / 79 cc	7 HP / 212 cc	7 HP / 212 cc
Starting system	Recoil	Recoil	Recoil
Suction / Discharge port diameter	38 mm (1.5 in)	50 mm (2 in)	80 mm (3 in)
Total head	18 m (59 ft)	32 m (105 ft)	28 m (92 ft)
Suction head	6 m (20 ft)	7.5 m (24 ft)	7.5 m (24 ft)
Flow	233 L / min	467 L / min	967 L / min
Fuel tank capacity	1.4 L (0.37 gal)	3.6 L (1 gal)	3.6 L (1 gal)
Net weight	13 kg (29 lb)	22 kg (49 lb)	25 kg (55 lb)

ACCESSORIES

• QUICK CONNECT FITTINGS • SUCTION & DISCHARGE HOSES • SUCTION STRAINERS • CAST IRON FOOT VALVES



trash pumps

The Ducar trash pumps are similar to our water pumps, however, they are designed to handle contaminated water containing solid and granular residues such as sand, leaves and small debris. Ditches can be drained to prevent future flooding problems.

DPT50





DPT80



SPECIFICATIONS	DPT50	DPT80
Pump type	Trash pump	Trash pump
Engine type	4-stroke OHV, 1 cylinder	4-stroke OHV, 1 cylinder
Horsepower / Displacement	7 HP / 212 cc	7 HP / 212 cc
Starting system	Recoil	Recoil
Suction / Discharge port diameter	50 mm (2 in)	80 mm (3 in)
Total head	30 m (98 ft)	25 m (82 ft)
Suction head	7.5 m (23 ft)	7.5 m (23 ft)
Flow	500 L / min	1000 L / min
Fuel tank capacity	3.6 L (1 gal)	3.6 L (1 gal)
Net weight	30 kg (66 lb)	35 kg (77 lb)

ACCESSORIES

• QUICK CONNECT FITTINGS • SUCTION & DISCHARGE HOSES • SUCTION STRAINERS • CAST IRON FOOT VALVES



pressure washers

Do you have a swimming pool, car, yard or any other outdoor surface to clean? Get a Ducar pressure washer to make your life easier! The pressurized water jet helps remove stubborn stains, layers of paint and allows you to clean accumulated dirt.

DGPW1500



- ✓ 1 adjustable nozzle
- ✓ Lightweight

DGPW4200




- ✓ 5 nozzles
- ✓ Very powerful

DGPW3200



- ✓ 5 nozzles
- ✓ Excellent value



SPECIFICATIONS	DGPW1500	DGPW3200	DGPW4200
Engine type	4-stroke OHV, 1 cylinder	4-stroke OHV, 1 cylinder	4-stroke OHV, 1 cylinder
Horsepower / Displacement	3 HP / 79 cc	7 HP / 212 cc	15 HP / 420 cc
Starting system	Recoil	Recoil	Recoil
Pressure	1500 psi	3 200 psi	4 200 psi
Delivery	6 L / min (1.6 gal)	9.45 L / min (2.5 gal)	15.1 L / min (4 gal)
Hose length	7.6 m (25 ft)	9.14 m (30 ft)	15 m (50 ft)
Nozzles included	1 adjustable nozzle	5	5
Net weight	19 kg (42 lb)	35 kg (77 lb)	62 kg (138 lb)

garden equipment

For a healthy lawn without the high cost of professional landscapers, choose the 2-in-1 scarifier / lawn dethatcher !

scarifier / lawn dethatcher

DR40

SPECIFICATIONS	DR40
Engine type	4-stroke OHV, 1 cylinder
Horsepower / Displacement	7 HP / 212 cc
Starting system	Recoil
Working width	40 cm (16 in)
Wheels	175 mm (7 in)
Net weight	37 kg (82 lb)

✓ 6 position height adjustment

✓ Bagger included

✓ Dethatcher and slicer bar attachments



The DT36V-6 tiller is your ally for gardening and soil maintenance.

tiller

DT36V-6

SPECIFICATIONS	DT36V-6
Engine type	4-stroke OHV, 1 cylinder
Displacement	161 cc
Starting system	Recoil
Transmission system	Worm and gear
Clutch type	Belt tensioned clutch
Tillage width	56 cm (22 in)
Tillage depth	13 cm (5 in)
Net weight	36 kg (79 lb)

✓ Portable

✓ Efficient

✓ Economical



With precision and efficiency, the wheeled string trimmer performs a meticulous cut !

walk-behind string trimmer

DMT56

SPECIFICATIONS	DMT56
Engine type	4-stroke OHV, 1 cylinder
Displacement	161 cc
Starting system	Recoil
Transmission system	Push
Working width	56 cm (22 in)
Cutting height	4 to 9.5 cm (1.5 to 3.75 in)
Wheels	35.6 cm (14 in)
Net weight	27 kg (60 lb)

✓ Convenient in rough terrain

✓ Great value

✓ Ideal for ditch/slope





lawn mowers

Ducar lawn mowers all have a lever that adjusts the cutting height simultaneously. Choose from four models based on discharge location, electric start, or bagging capability.

DM41S



17 in

- ✓ Rear discharge
- ✓ Bag capacity : 45 L

DM50PL-A



20 in

- ✓ Side discharge
- ✓ Mulching

DM53S



21 in

- ✓ Rear and side discharge
- ✓ Mulching
- ✓ Bag capacity : 60 L

SPECIFICATIONS	DM41S	DM50PL-A	DM53S AND SE
Engine model	DVO160	DVO160	DV173
Engine type	4-stroke OHV, 1 cylinder	4-stroke OHV, 1 cylinder	4-stroke OHV, 1 cylinder
Displacement	161 cc	161 cc	173 cc
Starting system	Recoil	Recoil	S : Recoil SE : Electric & recoil
Mower type	Self-propelled	Push	Self-propelled
Cutting width	43 cm (17 in)	51 cm (20 in)	53 cm (21 in)
Cutting height	7 cutting positions 25 mm to 75 mm	5 cutting positions 25 mm to 75 mm	7 cutting positions 25 mm to 75 mm
Net weight	29 kg (64 lb)	27 kg (60 lb)	S : 36 kg (79 lb) SE : 38 kg (85 lb)



motorized wheelbarrow

Easily transport materials of all kinds such as rocks, pebbles, bags of dirt, sand, etc. with the Ducar motorized wheelbarrow. The Ducar WBT25 is powerful enough to move a utility cart or trailer with its included trailer hitch. The WBT25 comes with side extensions that can be added to increase its load capacity. Powerful and adaptable !

WBT25



- ✓ Powerful capacity of 551 lb
- ✓ Side extensions included
- ✓ Trailer hitch included
- ✓ Ideal for landscapers, pool installers, orchard owners, farms or construction

SPECIFICATIONS

WBT25

Engine type	4-stroke OHV, 1 cylinder
Horsepower / Displacement	6.5 HP / 196 cc
Transmission	Mechanical
Speeds	4 forward, 1 reverse Max. speed : 5.5 km / h
Drive system	Chain driven 4 x 4
Capacity	250 kg (551 lb)
Net weight	140 kg (308 lb)





THE **WBT25**, LEGENDARY POWER FOR A MOTORIZED WHEELBARROW.



log splitters

Three models of Ducar log splitters are available. All models can be operated in a horizontal or vertical position, and come standard with a towing hitch and log cradle.

PG25T



- ✓ Fast
- ✓ Economical

PG28T



- ✓ Excellent value
- ✓ Work table included

PG35T



- ✓ Very powerful
- ✓ Work table included



SPECIFICATIONS	PG25T	PG28T	PG35T
Engine type	4-stroke OHV, 1 cylinder	4-stroke OHV, 1 cylinder	4-stroke OHV, 1 cylinder
Horsepower / Displacement	6.5 HP / 196 cc	6.5 HP / 196 cc	15 HP / 420 cc
Operation	Horizontal / Vertical	Horizontal / Vertical	Horizontal / Vertical
Pump	14 GPM	14 GPM	17 GPM
Work table	Optional	Standard	Standard
Log cradle	Standard	Standard	Standard
Tires diameter	16 in	16 in	16 in
Towing	2 inch ball with safety chains	2 inch ball with safety chains	2 inch ball with safety chains
Net weight	217 kg (478 lb)	237 kg (523 lb)	247 kg (545 lb)

*** HYDRAULIC OIL IS SOLD SEPARATELY FOR ALL MODELS.**

wood chipper

The Ducar B1500E wood chipper is simply the best in its class. Equipped with commercial grade bearings, a sturdy and reversible 2-blade barrel driven by a 15 HP engine, its efficiency is limitless. Feed it branches, leaves and even small trees and clear your yard in no time.

B1500E

SPECIFICATIONS

B1500E

Engine type	4-stroke OHV, 1 cylinder
Horsepower / Displacement	15 HP / 420 cc
Starting system	Electric & recoil
Chipping capacity	12.7 cm (5 in)
Cutting	2 blades on rotor and 1 counter-blade on the chassis
Battery	Standard
Fuel tank capacity	6.5 L (1.7 gal)
Dimensions length x width x height	52 x 72 x 93 cm (21 x 28 x 37 in)
Net weight	165 kg (364 lb)

- ✓ Easy to move
- ✓ Lawn tractor hitch



stump grinder

Ducar's SGR1500 stump grinder can be used for both light and more demanding jobs. Robust and efficient, the SGR1500 transforms tree stumps into chips, clearing your property of obstacles for a cleaner landscape.

SGR1500



- ✓ Incomparable value
- ✓ Sharpenable carbide teeth

- ✓ 2 V-belts
- ✓ Wheel lock-lever enabled

SPECIFICATIONS	SGR1500
Engine type	4-stroke OHV, 1 cylinder
Horsepower / Displacement	15 HP / 420 cc
Shredding depth	33 cm (13 in)
Shredding height	56 cm (22 in)
Shredding	8 carbide teeth
Clutch	Centrifugal
Dimensions length x width x height	180 x 80 x 115 cm (71 x 32 x 45 in)
Net weight	108 kg (237 lb)



battery-powered equipment





battery-powered equipment

Ducar has expanded their already impressive gasoline-powered product line up with battery-powered hand-held equipment. Battery-powered products are light, easy to handle and very practical. **The same** 40 volt battery is used on 7 different products !! Only the DM51P-AD56 lawn mower has a different battery - 56 volts of pure power. Get all the tools you need ! Each product comes with its own battery and charger, enabling you to complete yard work with ease, while respecting the environment.

pole hedge trimmer



40VPOLEHT (2 Ah)
40V4AHPOLEHT (4 Ah)

SPECIFICATIONS

45.7 cm (18 in) laser cut, double sided cutting blades
12 position head
Harness included
Runtime (2 Ah): 20 min
Runtime (4 Ah): 45 min
Weight without battery: 3.98 kg (8.75 lb)

- ✓ Good working height

grass trimmer



40VGRASSTRIMMER (2 Ah)
40V4AHGRASSTRIM (4 Ah)

SPECIFICATIONS

Brushless engine
Adjustable handle
Runtime (2 Ah): 22 min
Runtime (4 Ah): 45 min
Weight without battery: 3.34 kg (7.4 lb)

- ✓ Folds in half for ease of transport

tree pruner



40VTREEPRUNER (2 Ah)
40V4AHTREEPRUNE (4 Ah)

SPECIFICATIONS

25.4 cm (10 in) blade
Harness included
Runtime (2 Ah): 25 min
Runtime (4 Ah): 50 min
Weight without battery: 4.6 kg (10 lb)

- ✓ Convenient working height

hand-held blower



40VBLOWER (2 Ah)
40V4AHBLOWER (4 Ah)

SPECIFICATIONS

Brushless engine
Maximum air volume: 480 CFM
Maximal air speed: 180 km/h
Runtime (2 Ah): 25-30 min
Runtime (4 Ah): 55-65 min
Weight without battery: 2.17 kg (4.75 lb)

- ✓ Variable speed

hedge trimmer



40VHEDGETRIMMER (2 Ah)
40V4AHHEDGETRIM (4 Ah)

SPECIFICATIONS

45.7 cm (18 in) laser cut, double sided cutting blades
Runtime (2 Ah): 40 min
Runtime (4 Ah): 85 min
Weight without battery: 2.93 kg (6.5 lb)

- ✓ Multi position swivel handle allowing both horizontal and vertical trimming

ADDITIONAL ADVANTAGES:
TOOLS ARE WELL BALANCED
AND ERGONOMIC MAKING USE
MORE COMFORTABLE

1 battery fits 7 units

tiller



40V4AHTILLER (4 Ah)

SPECIFICATIONS

Push
Brushless engine
Working width : 25.4 cm (10 in)
Working depth : 10 cm (4 in)
17.8 cm (7 in) wheels
Runtime : 20-30 min
Weight without battery : 8.5 kg (18.74 lb)

- ✓ Efficient and portable

snow shovel



40V4AHSHOVEL (4 Ah)

SPECIFICATIONS

Working width : 36 cm (14 in)
Working height : 25.4 cm (10 in)
Adjustable handle
Lever for snow removal angle
Runtime : 15 to 45 min depending of snow thickness
Weight without battery : 9 kg (20 lb)

- ✓ Ejection distance greater than 6 m (20 ft)



40VBATTERY (2 Ah)

SPECIFICATIONS

40 volt lithium-ion
Charging time : 65 min
Dimensions (L x W x H) : 15 x 9 x 6 cm (6 x 3.5 x 2.5 in)
Weight : 0.73 kg (1.5 lb)

40V4AHBATTERY (4 Ah)

SPECIFICATIONS

40 volt lithium-ion
Charging time : 130 min
Dimensions (L x W x H) : 15 x 9 x 11 cm (6 x 3.5 x 4.3 in)
Weight : 1.45 kg (2.95 lb)



40VBATTERYCHARG

Charger for 40V 2Ah and 4Ah batteries

lawn mower

DM51P-AD56

SPECIFICATIONS

Cutting width : 50.8 cm (20 in)
Push
25.4 cm (10 in) big rear wheels
17.8 cm (7 in) front wheels
10 cutting positions
Rear discharge
Foldable handle
Bagger included
Runtime : 20-30 min
Weight without battery : 23.5 kg (52 lb)

- ✓ Mow your lawn in almost complete silence, no more disturbing the neighbors during the weekend !



56VBATTERY (4 Ah)

SPECIFICATIONS

56 volt lithium-ion
Charging time : 130 min
Dimensions (L x W x H) : 16.5 x 9.7 x 11 cm (6.5 x 3.8 x 4.3 in)
Weight : 0.9 kg (2 lb)

56VBATTERYCHARG



Charger for 56V 4Ah battery

LITTLE BEAVER



chainsaws

Forestry work, firewood cutting, fence line preparation, pruning, etc. are some of the great reasons to own a chainsaw. Our range of chainsaws, paired with quality bars and chains, will make it easier to get the job done.

TCS3800-16



- ✓ Lightweight, economical and practical
- ✓ Easy to start

TCS4100-16



- ✓ Great value and ergonomic
- ✓ Easy to start

TCS4600-16



- ✓ Excellent power/weight ratio
- ✓ Fuel economy

FCS151-18



- ✓ Ideal for firewood

SPECIFICATIONS	TCS3800-16	TCS4100-16	TCS4600-16	FCS151-18
Engine type	2-stroke, 1 cylinder	2-stroke, 1 cylinder	2-stroke, 1 cylinder	2-stroke, 1 cylinder
Horsepower / Displacement	1.6 HP / 37 cc	2 HP / 40 cc	2.4 HP / 45 cc	3 HP / 51 cc
Blade	16 in (DUP160SDEA041)	16 in (DUP160SDEA041)	16 in (DUP168PXLBK095)	18 in (DUP188PXLBK095)
Chain	DUP91VXL-57G	DUP91VXL-57G	DUP21LPX-66G	DUP21LPX-72G
Fuel tank capacity	390 ml	390 ml	550 ml	510 ml
Oil tank capacity	210 ml	210 ml	260 ml	290 ml
Oil pump	Automatic / adjustable / zero flow rate at idle speed	Automatic / adjustable / zero flow rate at idle speed	Automatic / adjustable / zero flow rate at idle speed	Automatic / adjustable / zero flow rate at idle speed
Net weight	4.6 kg (10.1 lb)	4.6 kg (10.1 lb)	5.1 kg (11.2 lb)	5.8 kg (12.8 lb)

trimmer and brush cutters

The range of trimmer and brush cutters is great for finishing touches as well as clearing dense brush. These products are lightweight, ergonomic and portable, allowing you to work efficiently, with ease.

Brush cutters

TBC261S



- ✓ Strong and efficient
- ✓ Blade included

TBC431D



- ✓ Powerful
- ✓ Harness and blade included

XBC4335S



- ✓ 4-stroke engine
- ✓ Fuel mixing not required
- ✓ Blade included

Trimmer

TTR261S



- ✓ Great value and efficient
- ✓ Easy to start


Accessories



Cutting head
DUPTRIMHEADHD
Suitable for several models



3-tooth blade
DUPBLADE
Wide and thin blade for cutting grass and weeds



3-tooth blade
DUPBLADEHD
Narrow and sturdy blade for cutting weeds, brush and brambles

SPECIFICATIONS

TTR261S

TBC261S

TBC431D

XBC4335S

	TTR261S	TBC261S	TBC431D	XBC4335S
Engine type	2-stroke, 1 cylinder	2-stroke, 1 cylinder	2-stroke, 1 cylinder	4-stroke, 1 cylinder
Displacement	25.4 cc	25.4 cc	42.7 cc	33.4 cc
Head type	Nylon	Nylon	Nylon	Nylon
Blade	—	3-tooth blade	3-tooth blade	3-tooth blade
Support	—	Shoulder strap	Harness	Shoulder strap
Grip	Loop handlebar	Loop handlebar	Bike handlebar	Loop handlebar
Shaft	Curved (flexible)	Straight (solid)	Straight (solid)	Straight (solid)
Fuel tank capacity	600 ml	600 ml	1000 ml	750 ml
Net weight	4.6 kg (10.1 lb)	5.5 kg (12.1 lb)	7 kg (15.4 lb)	7.5 kg (16.5 lb)

blowers

Our product line has four models of hand-held and back-pack blowers for all your leaf and debris clean up needs. All models are fuel efficient, lightweight and ergonomic, with powerful airflow.

TBL125



- ✓ Economical
- ✓ Lightweight

TBL228



- ✓ Comfortable and ergonomic
- ✓ Anti-vibration

TBB152



- ✓ Economical
- ✓ Exceptional power/weight ratio

TBB376



- ✓ Professional grade



SPECIFICATIONS	TBL125	TBL228	TBB152	TBB376
Engine type	2-stroke, 1 cylinder	2-stroke, 1 cylinder	2-stroke, 1 cylinder	2-stroke, 1 cylinder
Displacement	25.4 cc	27.6 cc	52 cc	75.6 cc
Average air volume	440 CFM	360 CFM	570 CFM	875 CFM
Maximum air speed	301 km/h	259 km/h	398 km/h	361 km/h
Fuel tank capacity	600 ml	450 ml	1300 ml	2100 ml
Net weight	4.6 kg (10.1 lb)	4.7 kg (10.4 lb)	5.9 kg (13 lb)	11.6 kg (25.5 lb)





lawn tractors

The tractor range consists of four models, all equipped with a 4-stroke engine with electric starter. With different engine displacements and cutting widths, there is a model to meet your specific mowing needs.

LT24-4



✓ Integrated bagger

LT38-6



✓ Economical and powerful

LT42-5



✓ Great value

LT42-CYL2



✓ Electromagnetic clutch (blades)

SPECIFICATIONS	LT24-4	LT38-6	LT42-5	LT42-CYL2
Engine type	4-stroke, 1 cylinder	4-stroke, 1 cylinder	4-stroke, 1 cylinder	4-stroke, 2 cylinders
Horsepower / Displacement	7 HP / 225 cc	16 HP / 452 cc	16 HP / 452 cc	18.5 HP / 635 cc
Cutting width	62 cm (24.4 in)	98 cm (38.6 in)	108 cm (42.5 in)	107 cm (42 in)
Cutting heights	1 to 3.5 in	1 to 3.5 in	1 to 3.5 in	0.5 to 3.5 in
Transmission	Gearbox	Hydrostatic	Hydrostatic	Hydrostatic
Maximum speed	4.4 km / h	8.8 km / h	8.8 km / h	10.2 km / h
Blade(s)	1	2	2	2
Discharge	Rear integrated bagger	Side	Side	Side
Mulching	—	Standard	Standard	Standard
Fuel tank capacity	1.4 L	7.5 L	7.5 L	5.5 L
Net weight	125 kg (276 lb)	165 kg (364 lb)	165 kg (364 lb)	220 kg (485 lb)

DUCAR

Product overview



Specifications and pictures are subject to change without notice. Printed in Canada, © MTI Canada inc. 2021

YOUR DEALER:

Distributed by:

MTI
CANADA

www.mticanada.ca