


SILENCIEUX POUR TRACTEURS ALLIS CHALMERS

MUFFLERS FOR ALLIS CHALMERS TRACTORS

TRACTEURS (1953 - 1967) TRACTORS

NOS DE COMMANDE ORDER NOS	ALLIS CHALMERS (Row Crop & Utility Tractors)							
	Tractor Application & Description	Inlet Length (A)	Inlet I.D. (B)	Shell Lgth (C)	Outlet Lgth (D)	Outlet O.D. (E)	O/A Lgth (F)	Wgt in LBS
DA20AC04	WD45 (Gas) (1953-1957), W226 & G226 (incl. brackets: (1) to head bolt & (1) to manifold. (vertical-round body. Shell dia. 3-1/4") Replaces OEM: 70229531	2-1/2"	1-5/8"	16-1/2"	10"	1-3/4"	29"	7




SILENCIEUX POUR TRACTEURS LEYLAND

(BRITISH LEYLAND)

MUFFLERS FOR LEYLAND TRACTORS

NOS DE COMMANDE ORDER NOS	BRITISH LEYLAND (Leyland/Nuffield)								
DA20BL01	Model #	Application Data	Inlet Length (A)	Inlet I.D. (B)	Shell Lgth (C)	Outlet Lgth (D)	Outlet O.D. (E)	O/A Lgth (F)	Wgt in LBS
	BMC	345 (ARJ 45); 456 (ARJ 51)	6-3/4"	B.Plates	23.0"	8-1/2"	2.00"	38"	8
	Nuffield	342 (ARJ); 460 (ARJ 33)							
		1042 (NT 7070)							
	Leyland	255, 270, 344 & 384							
		round body. Shell dia. 3-3/4"							
	Replaces OEM:								
		ATJ 3752 & ATJ 5473							



SILENCIEUX POUR TRACTEURS CASE MUFFLERS FOR CASE TRACTORS

NOS DE COMMANDE ORDER NOS	CASE "Letter" Series TRACTORS							
	Tractor Application & Description	Inlet Length (A)	Inlet I.D. (B)	Shell Lgth (C)	Outlet Lgth (D)	Outlet O.D. (E)	O/A Lgth (F)	Wgt in LBS
DA20CA02	V, VA, VAC & VC (Gas) (1953-1955)	2-3/4"	1-15/16"	16-3/4"	9-1/2"	2"	29"	5
	(vertical-round body. Shell dia. 3-1/4") Replaces OEM: VTA 2811 VTA 1135							

TRACTEURS (1953-1959) TRACTORS


NOS DE COMMANDE ORDER NOS	CASE "Number" Series Tractors							
	Tractor Application & Description	Inlet Length (A)	Inlet I.D. (B)	Shell Lgth (C)	Outlet Lgth (D)	Outlet O.D. (E)	O/A Lgth (F)	Wgt in LBS
DA20CA02	200B, 300B, 400B&500B (1957-1959) 300, 400, 500 & 600 (1953-1957), 310 & 350 (54-59) - (all above-Gas) (vertical-round body. Shell dia. 3-1/4") Replaces OEM: VTA 2811 & VTA 1135	2-3/4"	1-15/16"	16-3/4"	9-1/2"	2"	29"	5
DA20CA04	200B, 210B, 211B (Gas)-(1957-1959) 300 (53-57), 300B,310B,311B (57-59) 410B (57-59)- (Gas & Dsl). (horizontal-round body. Shell dia.3-1/4") Replaces OEM: G13032	2-3/4"	1-5/8"	16-3/4"	3"	1-3/4"	22-1/2"	4

SILENCIEUX POUR TRACTEURS CASE MUFFLERS FOR CASE TRACTORS

NOS DE COMMANDE ORDER NOS	CASE Utility & Industrial Tractors (1960 & up)						
	Tractor Application & Description	Inlet Length (A)	Inlet I.D. (B)	Shell Lgth (C)	Outlet Lgth (D)	Outlet O.D. (E)	O/A Lgth (F)
DA20CA04	430 (Gas) to s/n 8191147 (1960-1962) (horizontal-round body-Shell dia. 3-1/4") Replaces OEM: G13032	2-3/4"	1-5/8"	16-3/4"	3"	1-3/4"	22-1/2"
DA20CA06	430& 530 (Gas) s/n8191148 & up-(62-69) 430& 530 (Dsl) to s/n 8262800-(60-66) LCK530 (Industrial)- (all engines) (horizontal-round body.Shell dia. 4-1/4") Replaces OEM: G45287	2-3/4"	2-1/8"	13-1/2"	2-1/4"	2-1/4"	18-1/2"
DA20CA05	430 (Dsl) to s/n 8262800 (1960-1966) LCK 431 (Industrial) (vertical-round body. Shell dia. 4-1/4") Replaces OEM: G45264	4-1/4"	2-1/2"	17"	4-3/4"	2-1/2"	26"
DA20CA07	530, 630, 640 & 641 (Gas & Dsl) (1960-1969) (vertical-round body. Shell dia. 4-1/4") Replaces OEM: G45239	7-1/2"	2-1/2"	17"	4-1/2"	2-1/2"	29"


SILENCIEUX POUR TRACTEURS CASE MUFFLERS FOR CASE TRACTORS

NOS DE COMMANDE ORDER NOS	CASE Utility & Industrial Tractors (1960 & up)							
	Tractor Application & Description	Inlet Length (A)	Inlet I.D. (B)	Shell Lgth (C)	Outlet Lgth (D)	Outlet O.D. (E)	O/A Lgth (F)	Wgt in LBS
DA20CA08	530 (Gas)- to s/n 81911470 (1960 - 1962) (horizontal-round body.Shell dia. 4-1/4") Replaces OEM: G45703	2-3/4"	1-7/8"	13-1/2"	2-3/4"	2"	19"	5



TRACTEURS (1953-1959) TRACTORS

NOS DE COMMANDE ORDER NOS	CASE "Number" Series Tractors							
	Tractor Application & Description	Inlet Length (A)	Inlet I.D. (B)	Shell Lgth (C)	Outlet Lgth (D)	Outlet O.D. (E)	O/A Lgth (F)	Wgt in LBS
DA20CA08	500 (Gas) - (1955-1957) (horizontal-round body.Shell dia.4-1/4") Replaces OEM: G45703	2-3/4"	1-7/8"	13-1/2"	2-3/4"	2"	19"	5



SILENCIEUX POUR TRACTEURS DAVID BROWN MUFFLERS FOR DAVID BROWN TRACTORS

NOS DE COMMANDE ORDER NOS	DAVID BROWN TRACTORS (1961-1980)							
	Tractor Application & Description	Inlet Length (A)	Inlet I.D. (B)	Shell Lgth (C)	Outlet Lgth (D)	Outlet O.D. (E)	O/A Lgth (F)	Wgt in LBS
DA20DB01	770,late 880,885,995 & 1200 (vertical-round body. Shell dia. 4-1/4") Replaces OEM: K924341 K914137	9"	1-7/8"	20"	6"	2"	35"	7
DA20DB02	880,990(61-78);1200(67-71)-(Dsl) (vertical-round body. Shell dia. 4-1/4") Replaces OEM: K914083 K921351	9"	1-5/8"	20"	5"	1-3/4"	34"	6


SILENCIEUX POUR TRACTEURS FORD MUFFLERS FOR FORD TRACTORS TRACTEURS (1939-1964) TRACTORS

NOS DE COMMANDE ORDER NOS	FORD UTILITY - Made in U.K.							
	Tractor Application & Description	Inlet Length (A)	Inlet I.D. (B)	Shell Lgth (C)	Outlet Lgth (D)	Outlet O.D. (E)	O/A Lgth (F)	Wgt in LBS
DA20FO-02	Dexta (Dsl- 144 & 152 c.i.d.)(1957-1964) (3 cyl. Perkins Diesel engines) (vertical-round body. Shell dia. 4-1/4") Replaces OEM: 957E 5230A 957E 5230C	13"	1-5/8"	17"	3-1/2"	1-3/4"	34"	6
DA20FO-01	Major Diesel (1952-1964) (4 cyl. Ford Diesel engines) (vertical-round body. Shell dia. 4-1/4") Replaces OEM: DDN 5230A DKN 5230A	9"	1-7/8"	17"	9"	2"	35"	7

SILENCIEUX POUR TRACTEURS FORD

MUFFLERS FOR FORD TRACTORS

**FORD - Horizontal Exhaust
System- complete**



FO-3 Assembly



FO-300 Clamp

NOS DE COMMANDE ORDER NOS	Tractor Model Application	Muffler	Pipe	Wgt.
DA20FO-03	9N,2N & 8N(1939-1952)-(Gas) (welded one (1) piece assy.) Replaces OEM: 8N5230 Muffler & pipe (see separate listing for details on Muffler-Pipe & Inlet clamp)	FO-20 (no OEM number for muffler.	FOE-18 (no OEM number for pipe.	6




TRACTEURS (1939-1964) TRACTORS

NOS DE COMMANDE ORDER NOS	FORD (4 cyl.) UTILITY - Made in U.S.A.							
	Tractor Application & Description	Inlet Length (A)	Inlet I.D. (B)	Shell Lgth (C)	Outlet Lgth (D)	Outlet O.D. (E)	O/A Lgth (F)	Wgt in LBS
DA20FO-04	NAA (53-54), 600 & 700 (55-57), 501, 601 & 701 (58-62), 2000 series (63-64) with 134 cid Gas. 800 & 900 (55-57) with 172 cid Gas. (horizontal-round body Shell dia. 3-1/4") Replaces OEM: NAA 5230E	2-1/4"	1-5/8"	13"	2-1/4"	1-5/8"	17-1/2"	4
DA20FO-14	801-901 (58-62), 4000 series (61-64), & 1801 (58-60) with 172 cid Gas & Dsl. 501,601,701 (58-62),2000 series (63-64) with 144 cid Dsl . (horizontal-round body. Shell dia. 3-1/2") Replaces OEM: 310079	2"	2"	13-1/2"	2"	1-7/8"	17-1/2"	3

SILENCIEUX POUR TRACTEURS FORD MUFFLERS FOR FORD TRACTORS

Nos de commande Order nos	FORD (3 & 4 CYL) UTILITY - Made in U.K. (1965-1990)						
	Tractor application & description	Inlet Length (A)	Inlet I.D. (B)	Shell Lgth (C)	Outlet Lgth (D)	Outlet O.D. (E)	O/A Lgth (F)
		6"	1-7/8"	26-1/2"	8-1/2"	2.0"	41"
DA20FO28	2910, 3910 & 4110 (81-85), 4000, 4600 4610 (65-82), - 3 cyl dsl. 5000, 5600, 5700, 6600 & 6700 (65-80) w/cab. 4 cyl. dsl. Ag. 515, 531, 535 & 545 (78-82) - w/cab 3 cyl. dsl. Ind. (horizontal-oval body. Shell 4-1/2" x 9"). Repl OEM: E4NN 5230GB .						
DA20FO-16	4000 (65 & up) - 3 cyl. Gas & Dsl. (horizontal-oval body. Shell 4" x 8") Replaces OEM: C5NN 5230AB	5-1/2"	1-3/4"	10-1/2"	13-1/2"	1-3/4"	29"
DA20FO-05	2000, 3000, 4000 (65-75) - 3 cyl. Gas & Dsl. 5000 (65-75) 4 cyl. Gas & Dsl. (vertical-oval body. Shell 4" x 8") Replaces OEM: C5NN 5230AR Note: to use this muffler, must also use FO-5A adapter . (below)	5"	1-7/8"	10-3/4"	13-1/4"	2"	29"
DA20FO-5A	2000, 3000, 4000 (65-75) - 3 cyl. Gas & Dsl. 5000 (65-75) 4 cyl. Gas & Dsl. Adapter pipe for Muffler inlet Replaces OEM: C3NN 5255B Use with FO-5 Muffler (above)	1-1/2"	1-7/8"	11-1/4"	2-3/4"	1-7/8"	15-1/2"



**SILENCIEUX POUR TRACTEURS FORD
MUFFLERS FOR FORD TRACTORS**

Nos de commande Order nos	FORD (3 & 4 CYL) UTILITY - Made in U.K. (1965-1990)							
DA20FO-14	Tractor application & description	Inlet Length (A)	Inlet I.D. (B)	Shell Lgth (C)	Outlet Lgth (D)	Outlet O.D. (E)	O/A Lgth (F)	Wgt in Lbs
	4000 (65-75), 3600 & 4600 (75-81) 3 cyl. Dsl. - all orchard & narrow (horizontal-round body. Shell dia. 3-1/2"). Replaces OEM: 310079.	2"	2"	13-1/2"	2"	1-7/8"	17-1/2"	3
								
DA20FO-18	2000, 3000, (65-75) - 2100, 3100, 2110 & 4110 , 2600, 3600 Ag. models. 231 & 531 Ind. (65-81) - all 3 cyl. Dsl. (horizontal-oval body - Shell 4" x 8") Replaces OEM: C7NN 5230G	2"	1-3/4"	10-1/2"	8"	1-3/4"	20-1/2"	7
								
	DA20FO-17	2000, 3000, 4000 & 5000 (68 & up) 3 cyl & 4 cyl. Gas & Dsl (vertical-round body-Shell dia. 5-1/2"). Replaces OEM: C7NN 5230Z, C7NN 5230AB & C7NN 5230AC.	4-1/2"	1-7/8"	17"	7-1/2"	2"	29"
								

SILENCIEUX POUR TRACTEURS FORD MUFFLERS FOR FORD TRACTORS




Nos de commande Order nos	FORD (3 & 4 CYL) UTILITY - Made in U.K. (1939-1964)															
DA20FOE18	Tractor application & description 9N, 2N & 8N (1939-1952) (Horizontal exhaust pipe) No OEM number: Custom Stanley Design Used as part of FO-3 assy. Requires use of FO-300 inlet clamp kit.	<table><tr><th>Inlet I.D. (A)</th><th>Vert Length (B)</th><th>Horiz Lgth (C)</th><th>Outlet O.D. (D)</th><th>Wgt in Lbs</th></tr><tr><td>Flared inlt</td><td>15-1/2"</td><td>22"</td><td>1-1/2"</td><td>3</td></tr></table>					Inlet I.D. (A)	Vert Length (B)	Horiz Lgth (C)	Outlet O.D. (D)	Wgt in Lbs	Flared inlt	15-1/2"	22"	1-1/2"	3
		Inlet I.D. (A)	Vert Length (B)	Horiz Lgth (C)	Outlet O.D. (D)	Wgt in Lbs										
Flared inlt	15-1/2"	22"	1-1/2"	3												
DA20FOE16	9N, 8N, 2N (1939-52) "Pipe assembly" (2 morceaux) VERTICAL, LONGUEUR 65-1/2" Inlet I.D. 1-1/2", Outlet O.D. 1-1/2" Poids: 7 lbs.															
DA20FOE8	NAA (with 4 speed trans.) (1953-1954) (Horizontal OUTLET pipe) (from muffler to tailpipe) Replaces OEM: NAA 5255D (See FO-4 for muffler) (See FOE-3 for tailpipe)	<table><tr><td>1-1/2" dia</td><td>24"</td><td>78"</td><td>1-1/2"</td><td>6</td></tr></table>					1-1/2" dia	24"	78"	1-1/2"	6					
1-1/2" dia	24"	78"	1-1/2"	6												
DA20FOE1	600 (55-57), 601 (58-62), 2000 series (63-64) 134 cid Gas; 800 & 900 (55-57) 172 cid Gas (all models except Row Crop). (Horizontal OUTLET pipe) from muffler to tailpipe Replaces OEM: NCA 5255B (see FO-4 for muffler)	<table><tr><td>1-1/2"</td><td>17"</td><td>32"</td><td>1-1/2"</td><td>3</td></tr></table>					1-1/2"	17"	32"	1-1/2"	3					
1-1/2"	17"	32"	1-1/2"	3												

SILENCIEUX POUR TRACTEURS FORD MUFFLERS FOR FORD TRACTORS

Nos de commande Order nos	TRACTORS (1939-1964)				
DA20FOE7	Tractor application & description 901 (58-62), 4000 series (61-64) Row Crop with 172 cid Gas & Select-o-Speed trans. (Horizontal TAILPIPE) - outlet pipe to rear Replaces OEM: 313809 See FOE-13 for outlet pipe)	Inlet I.D. (A)	Vert length (B)	Horiz length (C)	Outlet O.D. (D)
		1-1/2"	N/A	37"	1-1/2"
					
DA20FOE21	2000, 3000 (69 up), 2100, 2110, 3100, 4110, 2600, 3600, Ag 231 & 531 Ind. (65 & up) (Horizontal TAILPIPE) - outlet pipe to rear Replaces OEM: C7NN 5245B	2"	24"	47"	1-3/4"
					
DA20FO-30	"MUFFLER CLAMP KIT" Assortiment complet comprenant: FO-300 2 no. 9N-5251 "Clamp" CAPN5200A 2 no. 304777-S8 Boulons 5/16 x 1-1/8" MCK-2 2 no. 33825S Écrous 5/16" 2 no. 34806-S8 Rondelle à ressort 5/16"				

SILENCIEUX POUR TRACTEURS INTERNATIONAL MUFFLERS FOR INTERNATIONAL TRACTORS


TRACTORS (1937-1954)

NOS DE COMMANDE ORDER NOS	Tractor Application	Inlet Length (A)	Inlet I.D. (B)	Shell Lgth (C)	Outlet Lgth (D)	Outlet O.D. (E)	O/A Lgth (F)	Wgt in LBS
DA20IH01	Farmall Cub- Standard (not Lo-Boy) (vertical-round body- Shell dia. 3-1/4") Replaces OEM: 351436R92	2-3/4"	1-3/8"	12-1/2"	6-3/4"	1-1/2"	22"	5
								
DA20IH03	Farmall A, Super A, B, BN, C & Super C (1939-1954) (vertical-round body. Shell dia. 4-1/4") Replaces OEM: 360720R92	2-3/4"	1-15/16"	17"	9-1/4"	2"	29"	6
								
	Farmall 100, 130 & 140, 200 , 230 & 240 (C-123 Gas engine). F330 & 340 (C-135 Gas engine.) (vertical-round body. Shell dia. 4-1/4") Replaces OEM: 360720R92							
	Int'l 330 & 340 (utility)-(C-135 Gas) Also fits T-340 Crawler (C-135 Gas) (vertical-round body. Shell dia. 4-1/4") Replaces OEM: 360720R91							
DA20IH10	Farmall H, Super H, M, Super M, MD, Super MD, Super MTA. Also Int'l. W-4 S-W4, W6, S-W6, WD6 & S-WD6. (Gas & Dsl engines) Farmall 300 & 350 (C-175 Gas engine) Farmall 400 & 450 (C-281 Gas & D-281 Dsl.) Farmall 460 & Intl 606 (C-221 Gas & D-236 Dsl.). Farmall 560 (C-263 Gas & D-282 Dsl). (vertical-round body. Shell dia. 6") Replaces OEM: 350601R95 370773R91 403551R1 (universal OEM muffler)	2-1/2"	2-3/8"	13"	14"	2-1/2"	29"	8
								

SILENCIEUX POUR TRACTEURS INTERNATIONAL MUFFLERS FOR INTERNATIONAL TRACTORS



TRACTORS (1955 & up)

NOS DE COMMANDE ORDER NOS	Tractor Application	Inlet Length (A)	Inlet I.D. (B)	Shell Lgth (C)	Outlet Lgth (D)	Outlet O.D. (E)	O/A Lgth (F)	Wgt in LBS
DA20IH18	Farmall 544 (C-200 Gas & D-239 Dsl.) (vertical-round body. Shell dia. 5-1/2") Replaces OEM: 370664R1	2-1/2"	2-3/8"	14-1/2"	11-3/4"	2-1/2"	29"	5



to fit IHC - STANDARD, UTILITY & INDUSTRIAL TRACTORS (1955 & up)

NOS DE COMMANDE ORDER NOS	Tractor Application	Inlet Length (A)	Inlet I.D. (B)	Shell Lgth (C)	Outlet Lgth (D)	Outlet O.D. (E)	O/A Lgth (F)	Wgt in LBS
DA20IH07	B-275 & B-414 Utility. (BD-144 Dsl.) (vertical-round body. Shell dia. 4-1/4") Replaces OEM: 704616R93 3109793R91	6-3/4"	2"	20"	7"	2"	34"	6
DA20IH08	B-414 (Utility)- (B-144 Gas). (vertical- round body. Shell dia. 4-1/4") Replaces OEM: 3046362R91	13"	2"	20"	7"	2"	41"	7
DA20IH23	B-414, I-424 & I-2424 Industrial (all use B-144 Gas engine). (horizontal-oval body. Shell 3-1/2" x 7") Replaces OEM: 3047572R93		1-7/8"	12"		1-3/4"	38"	7

SILENCIEUX POUR TRACTEURS INTERNATIONAL MUFFLERS FOR INTERNATIONAL TRACTORS

to fit IHC - STANDARD, UTILITY & INDUSTRIAL TRACTORS (1955 & up)

NOS DE COMMANDE ORDER NOS	Tractor Application	Inlet Length (A)	Inlet I.D. (B)	Shell Lgth (C)	Outlet Lgth (D)	Outlet O.D. (E)	O/A Lgth (F)	Wgt in LBS
DA20IH9	Int'l 460 & 460 Grove (C-221 Gas & D-236 Dsl); I-504 (D-188 Dsl)-s/n3104-up I-560, 656 & 660 (C-263 Gas & D-282 Dsl) I-606 (C-221 Gas & D-236 Dsl engines) (horizontal-round body. Shell dia. 4-1/4") Replaces OEM: 371039R92	3"	1-7/8"	17"	3"	2"	22-1/2"	5
DA20IH11	3414, 424, 2424, 444 & 2444 Indust. (B-144 Gas & BD-144 Dsl engines) I-504 & 2504 (C-135 Gas engine) (vertical-round body. Shell dia. 5-1/2") Replaces OEM: 381665R92 403825R1	2-1/2"	1-15/16"	14-1/2"	10"	2"	27"	6
DA20IH12	Int'l 600 & 650 (C-350 Gas & D-350 Dsl. engines). (vertical-round body. Shell dia. 6") Replaces OEM: 264117R92 637661C1	3-1/2"	3-1/8"	14-1/2"	3-1/2"	3"	22"	6
DA20IH15	Int'l 660 (C-263 Gas engine) (vertical-round body. Shell dia. 4-1/4") Replaces OEM: 376352R91	4-1/4"	2-3/8"	20"	5"	2-1/2"	29"	8

SILENCIEUX POUR TRACTEURS MASSEY FERGUSON MUFFLERS FOR MASSEY FERGUSON TRACTORS

MUFFLERS to fit MASSEY-HARRIS TRACTORS (1942-1957)



NOS DE COMMANDE ORDER NOS	Tractor Application	Inlet Length (A)	Inlet I.D. (B)	Shell Lgth (C)	Outlet Lgth (D)	Outlet O.D. (E)	O/A Lgth (F)	Wgt in LBS
DA20MF14	Massey Harris - (1942-1957) (vertical-round body. Shell dia.6") 55, 55D, 55K & 555. Also fits: Replaces OEM: 32999A	2"	2-3/8"	14.0"	5.0"	2-1/2"	21"	5
DA20MF15	Massey Harris - (1942-1957)-Gas & Dsl (horizontal-round body.Shell dia. 4-1/4") 20,20K,22,22K (exc. 1948), 30, 30K, 33, 333, 44, 44SPL, 44D, 44K, 44-6, 444, 81, 82, 101Jr., 101Sr. & 102Sr. Replaces OEM: 32289A & 767994M91	2"	2-3/8"	14.0"	5.0"	2-1/2"	21"	4
DA20MF17	TE-20, TO-20 & TO-30 (1948-1954) TO-35 & MF-35 (1955-63) Gas & Dsl (horizontal-round body. Shell dia. 3-1/4") Replaces OEM: 180364M91 505545M92 FERGUSON TEA20 - 80, 85mm 825698M1	2-1/2"	1-1/2"	23"	8-1/2"	1-1/2"	34"	4
DA20MF10	MF-35 (1960-1964) - Gas & Dsl eng. (MF-10 is used as both vertical & horiz. for these tractor applications.) (round body- Shell dia. 4-1/4") Replaces OEM: 181867M91	3"	1-7/8"	17"	14-1/2"	2"	34"	6
DA20MF21	MH-35, MF-35 & TO-35 (horizontal- round Shell dia. 3-1/4") Replaces OEM: 180364M91 505545M91	2-3/4"	1-1/2"	21"	11"	1-1/2"	34"	4

SILENCIEUX POUR TRACTEURS MASSEY FERGUSON


MUFFLERS FOR MASSEY FERGUSON TRACTORS

NOS DE COMMANDE ORDER NOS	Tractor Application	Inlet Length (A)	Inlet I.D. (B)	Shell Lgth (C)	Outlet Lgth (D)	Outlet O.D. (E)	O/A Lgth (F)	Wgt in LBS
DA20MF11	Ferguson F-40 & MF-50 (1957-64) (Gas & LP engines) (horiz. & vertical applications) (round body- Shell dia. 3-1/4") Replaces OEM: 182609M91	2-1/2"	1-15/16"	15-1/2"	2"	1-3/8"	18-1/2"	4
TRACTORS (1948-1964)								
NOS DE COMMANDE ORDER NOS	Tractor Application	Inlet Length (A)	Inlet I.D. (B)	Shell Lgth (C)	Outlet Lgth (D)	Outlet O.D. (E)	O/A Lgth (F)	Wgt in LBS
DA20MF13	MF-50 & MF-65 (Gas & Dsl.) (57-64) (horizontal for MF-50) (vertical for MF-50 & 65) (round body-Shell dia. 3-1/4") Replaces OEM: 187184M1	2-3/4"	1-3/4"	20"	11"	1-3/4"	34"	6
DA20MF12	MF-50 & MF-65 (Gas engine) (horizontal-round body. Shell dia.3-1/4") Replaces OEM: 184207M91 (See complete systems & pipes)	2"	1-15/16"	13-1/2"	2-1/2"	1-3/8"	18"	4
DA20MF01	MF-65 (Dsl.) - (1958-1964) (horizontal-round body.Shell dia. 3-1/4") Replaces OEM: 186886M91 (See complete systems & pipes)	2-1/4"	1-3/4"	23"	15-1/2"	Bent tube	40"	6


SILENCIEUX POUR TRACTEURS MASSEY FERGUSON MUFFLERS FOR MASSEY FERGUSON TRACTORS




**Horizontal
One-Piece
Assembly**



NOS DE COMMANDE ORDER NOS	Tractor Application	Muffler Data	Pipe Data	Weight
DA20MF16	TO-20 & TO-30 Gas (1948-1957) repl. OEM numbers: 505545M91 (muffler) 181860M91 (pipe)	MF-17 - muffler is used in this assembly. Shell dia. - 3-1/4"	MFE-7 - pipe is used in this assembly. Pipe has flared inlet. Outlet dia. is 1-1/2"	7 lbs.
DA20MF07	MF-35, MH35 & TO35 ag. 202, 203, 204 & 205 Ind. repl. OEM numbers: 505545M91 (muffler) 181600M91 (pipe)	MF-17 - muffler is used in this assembly. Shell dia. - 3-1/4"	MFE-2 - pipe is used in this assembly. Pipe has 3-bolt flange inlet Outlet dia. 1-1/2"	9 lbs.
DA20MF32	MF-35 (diesel) repl. OEM numbers: 505545M91 (muffler) 189678M91 (pipe)	MF-17 - muffler is used in this assembly. Shell dia. - 3-1/4"	MFE-12 - pipe is used in this assembly. Pipe has 3 bolt flange inlet. Outlet dia. 1-1/2"	9 lbs.
DA20MF36	MF-135 (Perkins Gas & Diesel). repl. OEM numbers: 522589M91 (muffler) 522584M91 (pipe)	MF-31 - muffler is used in this assembly. Shell dia. - 4-1/4"	MFE-9 - pipe is used in this assembly. Pipe has 3 bolt flange inlet. Outlet dia. 1-3/4"	9 lbs.




**Horizontal
One-Piece
Assembly
(continued)**





SILENCIEUX POUR TRACTEURS MASSEY FERGUSON

MUFFLERS FOR MASSEY FERGUSON TRACTORS



**VERTICAL
Two-Piece
Assembly**




NOS DE COMMANDE ORDER NOS	Tractor Application	Muffler Data	Pipe Data	Weight
DA20MF18	TO-20 & TO-30 Gas (48-57) repl. OEM numbers: 184207M91 (muffler)	Shell length - 10-1/2" Shell dia. - 3-1/4"	Pipe length is 17-1/2" Pipe has flared inlet. Outlet dia. is 1-1/2"	8 lbs.
DA20MF09	TO-35 (Gas & Diesel) (1955- 1957) repl. OEM numbers: 184207M91 (muffler)	Shell length - 10-1/2" Shell dia. - 3-1/4"	Pipe length is 17-1/2" Pipe has 3-bolt flange inlet Outlet dia. 1-1/2"	9 lbs.
VERTICAL Two-Piece Assembly (continued)				
DA20MF27	MF-65 (w/ Perkins diesel)	Shell length - 12" Shell dia. - 4-1/4" Outlet I.D.-fits 2" O.D. pipe.	Pipe length - 17-1/2" Pipe has clamp on inlet. Outlet O.D. - 2.0"	7 lbs.

SILENCIEUX POUR TRACTEURS MASSEY FERGUSON

MUFFLERS FOR MASSEY FERGUSON TRACTORS


CUSTOM REPLACEMENT PIPES



NOS DE COMMANDE ORDER NOS	Tractor Application & Description	Inlet I.D. "A"	Vert. Length "B"	Horiz. Length "C"	Outlet O.D. "D"	Wgt. in Lbs.
DA20MFE7	TO-20 & TO-30 Gas - HORIZONTAL exhaust Repl. OEM part number: 181460M1 Use w/ MF-17 & MF-21 mflrs.	Flared inlt	18"	23"	1-1/2"	4
DA20MF20	TO-20 & TO-30 Gas - VERTICAL exhaust Custom Design - no OEM # Use with MF-17 & MF-21 mufflers.	Flared inlt	29"	13"	1-1/2"	4
DA20MFE2	MH35, MF-35 & TO-30 Gas. HORIZONTAL exhaust repl. OEM part number: 181600M91 181600M92	3-bolt	20"	20"	1-1/2"	4
DA20MFE12	MF-35 Gas & Diesel engine HORIZONTAL exhaust repl. OEM part number: 189678M91 Use with MF-17 & MF-21 mufflers.	3-bolt	22"	26"	1-1/2"	4

SILENCIEUX POUR TRACTEURS MASSEY FERGUSON MUFFLERS FOR MASSEY FERGUSON TRACTORS

CUSTOM REPLACEMENT PIPES







NOS DE COMMANDE ORDER NOS	Tractor Application & Description	Inlet I.D. (A)	Vert. Length (B)	Horiz. Length (C)	Outlet O.D. (D)	Wgt. in Lbs.
DA20MFE4	MF40, MF50 & MH50 (Gas) HORIZONTAL exhaust Repl. OEM number: 182614M1 Use with MF-11 muffler	Clamp-on (1-3/8" ID)	12"	34"	1-1/2"	3
DA20MFE5	MF40 (Gas) VERTICAL exhaust Repl. OEM number: 182697M1 Use with MF-11 muffler	Clamp-on (1-3/8" ID)	8"	31"	1-1/2"	3
DA20MFE6	MF65 (Gas) HORIZONTAL exhaust Repl. OEM number: 184209M2 Use with MF-12 muffler	Clamp-on	12"	34"	1-1/2"	5
DA20MFE1	MF65 (Diesel) HORIZONTAL exhaust Repl. OEM number: 828194M91 673511M91 Use with MF-1 muffler	3-bolt	12"	34"	1-3/4"	4
DA20MFE10	MF135 (Gas) - 4 cylinder Continental HORIZONTAL exhaust Repl. OEM number: 194268M92 Not for use with MF-31 muffler.	3-bolt	13"	31"	1-1/2"	4

SILENCIEUX POUR TRACTEURS MASSEY FERGUSON

MUFFLERS FOR MASSEY FERGUSON TRACTORS

"100 SERIES" TRACTORS (1965 & UP)

NOS DE COMMANDE ORDER NOS	Tractor Application	Inlet Length (A)	Inlet I.D. (B)	Shell Lgth (C)	Outlet Lgth (D)	Outlet O.D. (E)	O/A Lgth (F)	Wgt in LBS
DA20MF10	MF-135 (Gas & Dsl engine) (1964-74) (used both as a horizontal & a vertical muffler for the MF-135.) (round body- Shell dia. 4-1/4") Replaces OEM: 181867M91	2-1/2	1-7/8	20"	11-1/2	2.00"	34"	6
								
DA20MF17	MF-135 (Gas & Dsl. engine) (1964-74) (horizontal-round body. Shell dia. 3-1/4") Replaces OEM: 180364M91 505545M92	2-1/2"	1-1/2"	23"	8-1/2"	1-1/2"	34"	4
								
DA20MF31	MF-135(U.K.) & MF-150 (Gas & Dsl.) (using Perkins engines.) (horizontal-round body. Shell dia. 4-1/4") Replaces OEM: 890476M92 522589M91 539525M91 (See-MFE-9 pipe ;	8"	1-3/4"	24"	7"	1-3/4"	39"	5
								
DA20MF22	MF-150 (Gas & Dsl)- early s/n machines (vertical-round body. Shell dia. 3-1/4") Replaces OEM: 505404M91 539525M91	10"	1-3/4"	17"	10"	1-1/2"	37"	7
								

SILENCIEUX POUR TRACTEURS MASSEY FERGUSON MUFFLERS FOR MASSEY FERGUSON TRACTORS

“ 100 SERIES ” TRACTORS (1965 & UP)

Nos De Commande Order Nos	Tractor Application	Inlet Length (A)	Inlet I.D. (B)	Shell Lgth (C)	Outlet Lgth (D)	Outlet O.D. (E)	O/A Lgth (F)	Wgt in Lbs
DA20MF30	MF165, MF175 & MF180 (Gas & Dsl) (Perkins 4-236 & 4-248 c.i.d.) This muffler is for tractors without loader. (vertical-round body. Shell dia 5-1/2") Replaces OEM : 523394M95 (See also MF-23 below)	8"	2-1/8"	19-1/2"	12-1/2"	Bent pipe	40"	9
DA20MF23	MF154, MF175 & MF180 (Gas & Diesel) (Perkins 4-236 & 4-248 c.i.d.) This muffler is for tractors with loader. (vertical-round body. Shell dia 4-1/4") Replaces OEM : 194431M91 (See also MF-30 above)	10"	2-1/8"	16-1/2"	13"	Bent pipe	40"	7
DA20MF29	MF1080 (Diesel engine) (vertical-oval body. Shell 5" x 11") Replaces OEM : 522422M92 530690M91	10"	2-3/4"	16"	6-1/2"	2-3/4"	32"	12
DA20MF37	MF1085 (Diesel) (vertical-oval body. Shell 6" x 10") Replaces OEM : 529390M94 535950M92	2-1/2"	2-3/4"	17-1/2"	4-1/2"	2-3/4"	24"	12

SILENCIEUX POUR TRACTEURS MASSEY FERGUSON MUFFLERS FOR MASSEY FERGUSON TRACTORS

“ 200 SERIES ” TRACTORS (1965 & UP)





Nos. Commande Order Nos.	Tractor Application	Inlet Length (A)	Inlet I.D. (B)	Shell Lgth (C)	Outlet Lgth (D)	Outlet O.D. (E)	O/A Lgth (F)	Wgt in Lbs
DA20MF6	MF230, MF240, MF250 & MF290 * (Gas & Diesel Perkins engines) (horizontal-round body-shell dia 3-1/4") Replaces OEM : 898535M91 * (* MF-290 to repl. 898535M91, also use 898534M1 OEM tailpipe.)	2-3/4"	2.00"	16-1/2"	12-1/2"	2.00"	32"	4
DA20MF31	MF230, MF240 & MF250 (Gas & Diesel) MF245, MF255, MF265 & MF275 (Diesel) (horizontal-round body. Shell dia 4-1/4") Replaces OEM : 522589M91 539523M92	8"	1-3/4"	24"	7"	1-3/4"	39"	5
DA20MF38	MF230, MF235, MF245, MF255, MF265 & MF275 (Gas & Diesel engine) (vertical-oval body. Shell 4" x 8") Replaces OEM : 578090M92 can sub for 535389M91 & 998669M91 * (* MF-38 has straight outlet pipe. To use as repl. for 535389 & 998669M91)	2-3/4"	2-1/8"	23"	8-1/2"	2.00"	34"	11

SILENCIEUX POUR TRACTEURS MASSEY FERGUSON

MUFFLERS FOR MASSEY FERGUSON TRACTORS

"1000 SERIES" TRACTORS (1965 & UP)


NOS DE COMMANDE ORDER NOS	Tractor Application	Inlet Length (A)	Inlet I.D. (B)	Shell Lgth (C)	Outlet Lgth (D)	Outlet O.D. (E)	O/A Lgth (F)	Wgt in LBS
DA20MF24	MF-1100 (6 cyl. Gas engine) Also MF-1080 (4 cyl. Gas engine) (vertical-round body. Shell dia. 5-1/2") Replaces OEM: 513563M92 509939M91 (also avail. for this application is an oval body muffler - see MF-29 below.)	9-1/2"	2-3/4"	17"	5-1/2"	2-3/4"	32"	8
DA20MF29	MF-1100 (6 cyl. Gas engine) MF-1080 (4 cyl. Gas engine) (vertical-oval body. Shell 5" X 11") Replaces OEM: 522422M92 530690M91 (also avail. for this application is a round body muffler- see MF-24 above.)	10"	2-3/4"	16"	6-1/2"	2-3/4"	32"	11
DA20MF25	MF-1100 (354 Dsl);MF-1130 (T-354 Dsl) (vertical-round body.Shell dia. 6.00") Replaces OEM: 510634M91 (also avail. for this application is an oval body muffler- see MF-28 below.)	9"	3-7/16"	20-1/2"	2-3/4"	3-1/2"	32"	10
DA20MF28	MF-1100 (354 Dsl);MF-1130 (T-354 Dsl) (vertical-oval body. Shell 6" x 9-1/2") Replaces OEM: 522421M92 530689M91 (also avail. for this application is a round body muffler- see MF-25 above.)	7-1/2"	3-1/2"	23-1/2"	4"	3-1/2"	34-1/2"	16



SILENCIEUX POUR TRACTEURS MASSEY FERGUSON MUFFLERS FOR MASSEY FERGUSON TRACTORS


to fit MASSEY FERGUSON "1000 SERIES" TRACTORS (1965 & UP)

NOS DE COMMANDE ORDER NOS	Tractor Application	Inlet Length (A)	Inlet I.D. (B)	Shell Lgth (C)	Outlet Lgth (D)	Outlet O.D. (E)	O/A Lgth (F)	Wgt in LBS
DA20MF39	MF-1105 & MF-1135 (Dsl.) (vertical-oval body. Shell 6" x 10") Replaces OEM: 528068M92	3"	3-7/16"	22"	3-1/2"	3-1/2"	28"	15




MASSEY FERGUSON - "4-WD ARTICULATED" TRACTORS

DA20MF25	MF-1500 & MF-1800 (Cat. Dsl.) (vertical-round body. Shell dia. 6.00") muffler has single inlet. also see MF-33. Replaces OEM: 510634M91	9"	3-7/16"	20-1/2"	2-3/4"	3-1/2"	32"	10
----------	--	----	---------	---------	--------	--------	-----	----




DA20MF33	MF-1500 & MF-1800 (late s/n - Cat. Dsl.) MF-1505 & MF-1805 (Cat. Dsl.) (vertical-round body. Shell dia. 9") muffler has dual inlet. also see MF-25. Replaces OEM: 525196M1 525193M1	2-3/4"	2-1/2"	36"	3.00"	3.00"	41"	25
----------	---	--------	--------	-----	-------	-------	-----	----



MASSEY FERGUSON - INDUSTRIAL TRACTORS






DA20MF7	MF-202, MF-203, MF-204, MF-205 (Gas & Dsl.) Utility tractors. Complete System - includes Muffler Inlet pipe Clamps
---------	---



SILENCIEUX POUR TRACTEURS MASSEY FERGUSON MUFFLERS FOR MASSEY FERGUSON TRACTORS

to fit MASSEY FERGUSON INDUSTRIAL TRACTORS

Nos de Commande Order Nos.	Tractor Application	Inlet Length (A)	Inlet I.D. (B)	Shell Lgth (C)	Outlet Lgth (D)	Outlet O.D. (E)	O/A Lgth (F)	Wgt in Lbs
DA20MF10	MF202, MF203, MF204 & MF205 (Gas & Diesel), Utility tractors (horizontal-round body. Shell dia 4-1/4") Replaces OEM: 181867M91	3"	1-7/8"	17"	14-1/2"	2.00"	34"	6
DA20MF12	MF302 & MF304 (Gas engine) (horizontal-round body. Shell dia 3-1/4") Replaces OEM: 184207M91	2"	1-15/16"	13-1/2"	2-1/2"	1-3/8"	18"	4
DA20MF6	MF-20, MF-30, MF-31, MF-32 MF-40B & MF-50C (Gas & Dsl) (horizontal-round body. Shell dia 3-1/4") Replaces OEM: 508825M94 539523M92	2-3/4"	2.00"	16-1/2"	12-1/2"	2.00"	32"	4
DA20MF24	MF-70 (Gas & Diesel engine) (vertical-round body. Shell dia 5-1/2") Replaces OEM: 523394M95 (See also-MF23 muffler shell dia is 4-1/4" if your tractor has a loader & space is limited.)	9-1/2"	2-3/4"	17"	5-1/2"	2-3/4"	32"	8
DA20MF29	MF-70 & MF80 (Gas & Diesel engine) (vertical-oval body. Shell 5" x 11") Replaces OEM: 522422M92 530690M91	10"	2-3/4"	16"	6-1/2"	2-3/4"	32"	11




SILENCIEUX POUR TRACTEURS MASSEY FERGUSON MUFFLERS FOR MASSEY FERGUSON TRACTORS

NO. DE COMMANDE ORDER NO.	REPLACE REPLACE	DESCRIPTION	ILLUSTRATIONS
DA20FO-30	FO-300 CAPN5200A MCK-2	"MUFFLER CLAMP KIT" Assortiment complet comprenant: 2 no. 9N-9251 "Clamp" 2 no. 304777-S8 Boulons 5/16 x 1-1/8" 2 no. 33825S Écrous 5/16" 2 no. 34806-S8 Rondelle à ressort 5/16"	
DA20V5-00	V5 890376M2 898011M1	MF35, MF135 Coude pour convertir de horizontal à vertical, sur MF35 et MF135 avec 3A-152 Engine. Fit: DA20IH07 silencieux	
DA20V8-41	V841 897914M1 828047M1	MF65, 165 Coude pour convertir de horizontal à vertical, sur MF65 et MF165	

FINI ALUMINIUM CUIT

POUR UNE PLUS LONGUE DURÉE



DA20V8-80	V880/35	Tracteurs MF65, 165, Gaz et Diésel VERTICAL. Pour être utilisé avec le coude V841.
-----------	---------	--

SILENCIEUX POUR TRACTEURS WHITE-OLIVER MUFFLERS FOR WHITE-OLIVER TRACTORS

OLIVER Utility Tractors (1954-1975)

NOS DE
COMMANDE
ORDER NOS

Machine Application & Description

Inlet
Length
(A)

Inlet
I.D.
(B)

Shell
Lgth
(C)

Outlet
Lgth
(D)

Outlet
O.D.
(E)

O/A
Lgth
(F)

Wgt
in
LBS

DA20L5-00

Super 55 & 550 (Gas & Dsl)

2-1/4"

1-15/16"

12-1/2"

2.0"

1-7/8"

15-1/2"


4

(horizontal-round body-Shell dia. 3-1/4")

Replaces OEM:

161386A

(extension pipe - OL-5A also
available - see below)



DA20L5-OA

Super 55 & 550 (Gas & Dsl)

N/A

1-7/8"

N/A

N/A

2.0"

35-1/2"

7


Replaces OEM:

K-421

102079A

(muffler - OL-5 also available
see above)

NOTE: the
OL-5A pipe is
Plain finish.



WHITE FARM EQUIPMENT section covers all of the brands formerly owned by **WHITE** now owned by **AGCO**: **Cockshutt, Minneapolis- Moline, Oliver & WHITE.** **Oliver** section is divided into the older "Classic" tractors (up thru 1958) and the later **Oliver/White Oliver** tractors (1959 thru the early 80's).

OLIVER Row Crop Tractors (1938-1958)

DA20L1-00

Oliver 70 (1938 & up)- not for Hart Paar
model 70.

1-1/2"

1-15/16"

12"

1-1/2"

2-1/16"


16"

4

(horizontal-round body-Shell 4-1/4")

Replaces OEM:




B 452A



SILENCIEUX POUR TRACTEURS WHITE-OLIVER

MUFFLERS FOR WHITE-OLIVER TRACTORS

OLIVER Row Crop (1938-1958)

NOS DE COMMANDE ORDER NOS	Tractor Application & Description	Inlet Length (A)	Inlet I.D. (B)	Shell Lgth (C)	Outlt Lgth (D)	Outlet O.D. (E)	O/A Lgth (F)	Wgt in LBS
DA20L2-00	66, 77 (s/n 320001-6502) (vertical-round body-Shell dia. 6.00") (underhood muffler-see OL-4A pipe) Replaces OEM: L-452	2-1/4"	2-3/8"	6-1/2"	1-1/4"	1-3/4"	10"	6
	Note, This muffler is painted SILVER.							
DA20L4-00	77 & 88 (Diesel) (vertical-round body-Shell dia. 6.00") (underhood muffler-see OL-4A pipe) Replaces OEM: K-452	2-1/4"	2-3/8"	6-1/2"	1-1/4"	1-3/4"	10"	6
	Note, This muffler is painted SILVER.							
DA20L4-0A	66, 77, 88 (Gas & Diesel) (Extension pipe - use with OL-2 & OL-4 underhood mufflers) Replaces OEM: K-421	N/A	1-3/4"	N/A	N/A	1-3/4"	24"	4
	Note, This pipe is painted SILVER.							
DA20L3-00	Super 66, 77 & 88 (Gas & Dsl) (vertical-round body Shell dia. 3-1/4") Replaces OEM: KA-452B (note: can repl. OL-2 & OL-4 mufflers; must enlarge hole in hood.)	4.0"	2-3/8"	20"	5.0"	2-1/2"	29"	4
	Note, This muffler is painted SILVER.							

SILENCIEUX POUR TRACTEURS WHITE-OLIVER MUFFLERS FOR WHITE-OLIVER TRACTORS

TRACTOR (1938-1970)

OLIVER Row Crop (1958-1975)



NUMÉROS NUMBERS	TRACTOR APPLICATION	Inlet length	Inlet I.D.	Shell length	Outlet length	Outlet O.D.	O/A length	Weight in
DA20L6-00	770, 880, 1600 (Gas & Dsl)	4-1/4"	2-3/8"	20"	4-1/2"	2-1/2"	29"	7
	1650 (Gas) also 1550 (Gas & Dsl) (vertical-round body-Shell, diameter 4-1/4") Replaces OEM : 100694A 155623A							
DA20L7-00	1650 (Dsl), 1750, 1800 & 1850	4-1/2"	2-15/16"	23"	6"	2-1/2"	34"	9
	(Gas, LP-Gas & Dsl) (vertical-round body-w/heat shield) (Shell diameter 6") Replaces OEM : 104764A 155980A	Muffler is painted SILVER						
DA20L11-00	1650 (Dsl), 1750 & 1850 (Gas & Dsl)	5-1/2"	2-15/16"	23"	4-1/2"	2-1/2"	32"	15
	1655, 1755, (Gas & Dsl), 1855 (Gas) (vertical-oval body-muffler) (Shell 5-1/2" x 9-1/2") Replaces OEM : 30-3040828							

ILLUSTRATIONS	NUMÉROS NUMBERS	REPLACE REPLACE	DESCRIPTION
	DA20EE01 DA20EE02 DA20EE03 DA20EE04	EE1 EE2 EE3 EE4	EXTENSION POUR "MUFFLER" Empêchera la pluie d'entrer dans le "muffler". Longueur 18". Extension de 18". Diamètre de 1-1/2". Extension de 18". Diamètre de 1-3/4". Extension de 18". Diamètre de 2". Extension de 18". Diamètre de 2-1/4".
	DA20S633 DA20S634	S633 S634	"RAIN CAP" Pour être fixé avec une "Hose clamp". Le prix est sans la "Hose clamp". "Rain cap" de 1-1/4" à 2-1/2" O.D. "Pipe". "Rain cap" de 2-1/2" à 3-1/4" O.D. "Pipe".
	DA20MC15 DA20MC34 DA20MC78 DA20MC20 DA20MC25 DA20MC250 DA20MC75 DA20MC30 DA20MC40 DA20MC50	MC112 MC134 MC178 MC200 MC225 MC250 MC275 MC300 MC400 MC500	"MUFFLER CLAMPS" "Muffler clamp" pour 1-1/2" O.D. "Pipe" "Muffler clamp" pour 1-3/4" O.D. "Pipe". "Muffler clamp" pour 1-7/8" O.D. "Pipe". "Muffler clamp" pour 2" O.D. "Pipe". "Muffler clamp" pour 2-1/4" O.D. "Pipe". "Muffler clamp" pour 2-1/2" O.D. "Pipe". "Muffler clamp" pour 2-3/4" O.D. "Pipe". "Muffler clamp" pour 3" O.D. "Pipe". "Muffler clamp" pour 4" O.D. "Pipe". "Muffler clamp" pour 5" O.D. "Pipe"

CAPUCHONS À PLUIE - ENGINEERED RAINCAPS

- 4 Pour la plupart des tracteurs, équipement et moteurs
- 4 Finis gris poudre
- 4 Ouvre avec la plus petite pression
- 4 Ferme à l'instant où le moteur s'arrête
- 4 Fabriqué et balancé pour fermer étanche
- 4 Installation facile à un boulon

- 4 Fit most tractors, equipment and engines
- 4 Gray powder coat finish
- 4 Opens with the slightest pressure
- 4 Closes the instant exhaust stops
- 4 Engineered and balanced to close tightly
- 4 Easy one bolt installation



NUMÉROS NUMBERS	REPLACE REPLACE	MINIMUM EXHAUST O.D. (POUCES- INCHES)	MAXIMUM EXHAUST O.D. (POUCES- INCHES)	PESANTEUR WEIGHT (LBS)
DA20RC00	WC2	1-1/2"	1-11/16"	0.56
DA20RC01	WC3	1-3/4"	1-15/16"	0.58
DA20RC02	WC4	2"	2-3/16"	0.90
DA20RC05	WC5	2-1/4"	2-7/16"	0.92
DA20RC03	WC6	2-1/2"	2-11/16"	1.01
DA20RC07	WC7	2-3/4"	2-15/16"	1.04
DA20RC04	WC8	3"	3-3/16"	1.08
WC9	WC9	3-1/4"	3-7/16"	1.44
DA20RC08	WC10	3-1/2"	3-11/16"	1.30
WC11	WC11	3-3/4"	3-15/16"	1.59
DA20RC09	WC12	4"	4-3/16"	1.60
WC13	WC13	4-1/4"	4-7/16"	1.62
WC14	WC14	4-1/2"	4-11/16"	1.68
WC15	WC15	5"	5-3/16"	1.82